

SK5-Service Locker Door

Art. 1412

Content
Ordering Details
Dimensions
Technical Drawing
Spare Parts
General Drawing

Ordering Details SK5-Service Locker Door

Ordering Sizes	Width (hinge side)	x	Height	
<input type="checkbox"/>	360	x	310	mm
<input type="checkbox"/>	650	x	350	mm
<input type="checkbox"/>	750	x	300	mm
<input type="checkbox"/>	1000	x	420	mm

Wall thickness:	<input type="checkbox"/>	23	-	36	mm
	<input type="checkbox"/>	37	-	50	mm **

Frame colour:	<input type="checkbox"/>	Fiat Bianco
	<input type="checkbox"/>	RAL ** _____ / _____

Version: **Service Locker Door with fixing frame** part no.:

Lock system:	<input type="checkbox"/>	Fawo - 1 **/ Westalloy **	part no.:
	<input type="checkbox"/>	Fawo - 2 / Fawo - HSC	part no.:
	<input type="checkbox"/>	Oberholz ** / Zadi **	part no.:

Customer: _____ Part no customer: _____

Remarks: _____

Signature: _____ Date: _____

** = nur für Hersteller

Dimensions SK5-Service Locker Door

SK5-Service Locker Door Art. 1121								
Ordering size	Size of width (hinge side)				Size of height			
	A	B	C	D	E	F	G	H
360 x 310	360	337	310	385	310	288	260	335
650 x 350	648	625	598	673	347	326	298	373
750 x 300	748	725	698	773	297	276	248	323
1000 x 420	998	975	948	1023	417	396	368	443

Ordering size	Weight ca. kg	Wall thickness in mm
360 x 310	0,9	23 bis 36 **)
650 x 350	1,3	23 bis 36 **)
750 x 300	1,4	23 bis 36 **)
1000 x 420	2,0	23 bis 36 **)

Size A = aperture of width

Size B = clearance width of passage

Size C = width of inner panel

Size D = total exterior width

Size E = aperture of height


Size F = clearance height of passage

Size G = height of inner panel

Size H = total exterior height

** = only for manufacturers (until wall thickness max. 50 mm)

Techn. Drawing SK5-Service Locker Door





Spare Parts SK5-Service Locker Door

	Description	Part no.	Pack.
1	Fawo HSC – lock barrel incl. 1 pair keys *) (2)	BG2528	1 pc.
5	Door handle (FAWO 1) (1)	BG2523	1 set
5	Door handle (FAWO 2 / FAWO 2 HSC) * (1)	BG2524	1 set
5	Door handle (Oberholz) (1)	BG2525	1 set
10	Interior frame clips (version with clamping frame), VPE = 12 Stck.	BG1113	1 set
15	Seal, length = 3 m	BG2526	1 pc.
20	Hose-proof protection seal**, length = 3 m	BG2527	1 pc.


Important: When ordering specify: description, colour, quantity, dimension exterior frame (width x height).

(1)


Identification door handel



Fawo1 / Westalloy = ○



Fawo2 / HSC = ◎



Oberholz / Zadi

(2) Only lock number 01726T85 451 (FAWO HSC) available.

* = for aftermarket

General Drawing SK5-Service Locker Door

